



<b>RACE – For Professional Racers and Everybody who Rides at the Limit</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE PRO R SAE 0W-20</b>	<b>Electrosyntec-Technology</b> Fully-synthetic four-stroke racing engine oil based on the latest Electrosyntec-Technology. Special racing formulation. Only for professional competition applications.		
<b>SILKOLENE PRO 4 PLUS SAE 5W-40 SAE 10W-50</b>	<b>Electrosyntec-Technology</b> Four-stroke racing engine oil based on synthetic esters. Specially formulated for use in Super-bikes, Supersports and production racers.	API SG/SH/SJ	JASO MA JASO MA2
<b>SILKOLENE PRO 4 SAE 10W-40 SAE 15W-50</b>	<b>Electrosyntec-Technology</b> Fully-synthetic four-stroke racing engine oil for all highly-tuned motorcycle engines.	API SG/SH/SJ	JASO MA JASO MA2
<b>SILKOLENE PRO KR2</b>	Two-stroke race cart oil formulated with synthetic base oils and castor oil. Use manufacturer's recommended mixing ratios. Not miscible with other lubricants.		
<b>SILKOLENE PRO 2</b>	<b>Electrosyntec-Technology</b> Fully-synthetic two-stroke racing engine oil. Specially formulated for extreme conditions. Not miscible with conventional two-stroke oils. Only suitable for Premix systems.		
<b>SILKOLENE COMP 2 PLUS</b>	<b>Electrosyntec-Technology</b> Fully-synthetic two-stroke racing engine oil. Perfect for GP racing engines. Suitable for Premix and Autolube systems.	API TC JASO FC ISO-L-EGD	
<b>SILKOLENE PRO RSF 2,5WT / 5WT / 7,5WT / 10WT / 15WT</b>	Fully-synthetic shock-absorber fluids and special fork oils with a high viscosity index. Specially developed for racing.		
<b>SILKOLENE PRO CHAIN</b>	Fully-synthetic racing chain lube spray for high-performance road, racing and motocross applications. For all chains with or without O-rings.		
<b>RIDE – For the Tourer and Streetrider</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE COMP 4 SAE 10W-40 SAE 15W-50 SAE 20W-50</b>	<b>Electrosyntec-Technology</b> Synthetic four-stroke engine oil. Various viscosities for engines with shared engine, gearbox and clutch lubrication.	API SG/SH/SJ	JASO MA JASO MA2
<b>SILKOLENE SUPER 4 SAE 10W-40 SAE 20W-50</b>	MC-synthesis four-stroke engine oil. High-quality standard product offering excellent protection.	API SF/SG	JASO MA JASO MA2
<b>SILKOLENE V-TWIN SAE 20W-50</b>	Mineral four-stroke engine oil. Specially developed for Harley-Davidson and european/japanese Metric V-Twins.	API SJ	

While the information and figures given here are typical of current production and confirm to specification, minor variations may occur. Subject to amendment. Edition 01/2008



<b>RIDE – For the Tourer and Stree rider</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE COMP 2 INJECTOR</b>	<b>Electrosyntec®-Technology</b> Synthetic two-stroke engine oil. Reliable protection against seizures, ring sticking and coking. Suitable for Premix and Autolube systems.	API TC JASO FC ISO-L-EGD	
<b>SILKOLENE SUPER 2 INJECTOR</b>	MC-synthesis two-stroke engine oil. Reduces wear and guarantees long engine life. Suitable for Premix and Autolube systems.	API TC JASO FB	
<b>SILKOLENE V-TWIN SAE 80W-90</b>	Synthetic gear oil specially developed for Harley-Davidson and european/japanese Metric V-Twins vehicles.	API GL-5	
<b>OFF ROAD – For all Enduro and Motocross Riders</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE PRO 4 SX SAE 15W-50</b>	<b>Electrosyntec®-Technology</b> Fully-synthetic four-stroke engine oil based on synthetic esters. Specially formulated for use in large-volume single and twin off-road motorcycles.	API SF/SG/SH	JASO MA JASO MA2
<b>SILKOLENE COMP 4 SX SAE 10W-40</b>	<b>Electrosyntec®-Technology</b> Synthetic four-stroke engine oil for engines with shared engine, gearbox and clutch lubrication.	API SF/SG/SH	JASO MA JASO MA2
<b>SILKOLENE SUPER 4 SX SAE 10W-40</b>	High-quality, mineral oil-based four-stroke engine oil offering reliable protection.	API SG	JASO MA JASO MA2
<b>SILKOLENE PRO 2 SX</b>	<b>Electrosyntec®-Technology</b> Fully-synthetic two-stroke engine oil based on synthetic esters. Developed using aerospace technology. Specially formulated for the extreme temperatures and stresses of racing. Not miscible with conventional two-stroke oils. Only suitable for Premix systems.		
<b>SILKOLENE COMP 2 PLUS SX</b>	<b>Electrosyntec®-Technology</b> Fully-synthetic two-stroke engine oil based on synthetic esters. For the greatest reliability under extreme conditions. Suitable for Premix and Autolube systems.	API TC JASO FC ISO-L-EGD	
<b>SILKOLENE COMP 2 PREMIX</b>	<b>Electrosyntec®-Technology</b> Synthetic two-stroke engine oil. Excellent reliability under extreme conditions. Only suitable for Premix systems.	API TC JASO FB	
<b>SILKOLENE SUPER 2 SX</b>	Synthetically-modified two-stroke engine oil. For all two-stroke, off-road motorcycles. Only suitable for Premix systems.	API TC JASO FB	

While the information and figures given here are typical of current production and confirm to specification, minor variations may occur. Subject to amendment. Edition 01/2008



<b>QUADS ATV – For Professionals and Fun Bikers</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE QUAD ATV SAE 5W-40</b>	<b>Electrosyntec<sup>®</sup></b> Fully-synthetic four-stroke engine oil for highly-stressed Quads and ATVs. Offers first-class quality and reliable protection against wear.	API SG/SH/SJ	JASO MA JASO MA2
<b>SILKOLENE QUAD ATV SAE 10W-40</b>	MC-synthesis engine oil specially developed for Quads and ATVs. Standard, high-quality product for reliable protection.	API SG	JASO MA JASO MA2
<b>SCOOT – The Name says it all</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE SCOOT 4 SAE 10W-40</b>	<b>Electrosyntec<sup>®</sup>-Technology</b> Synthetic four-stroke engine oil for scooters and mopeds. Perfect for high-tech, four-stroke scooters.	API SG/SH/SJ	JASO MA JASO MA2
<b>SILKOLENE PRO SCOOT</b>	<b>Electrosyntec<sup>®</sup>-Technology</b> Fully-synthetic two-stroke engine oil for high-performance scooters. Suitable for Premix and Autolube systems.	API TC JASO FC ISO-L-EGD	
<b>SILKOLENE SCOOT SPORT 2</b>	<b>Electrosyntec<sup>®</sup>-Technology</b> Synthetic two-stroke engine oil for highly-stressed scooter engines. Suitable for Premix and Autolube systems.	API TC JASO FC ISO-L-EGD	
<b>SILKOLENE SCOOT 2</b>	MC-synthesis two-stroke engine oil for scooters and mopeds. Suitable for Premix and Autolube systems.	API TC JASO FC	
<b>SILKOLENE SCOOTER GEAR OIL SAE 80W-90</b>	Special gear oil for use in scooters and mopeds.	API GL-4	
<b>MAINTAIN – Maintenance and Protection for your Bike</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE PRO SRG 75 SAE 75W</b>	Fully-synthetic, ester-based racing gear oil. Excellent protection against wear and easy shifting even at extreme temperatures.	API GL-4	
<b>SILKOLENE COMP GEAR OIL SAE 80W-90</b>	Synthetic, high-performance, ester-based gear oil. Particularly recommended when the gearbox contains aluminium components.	API GL-4/GL-3	
<b>SILKOLENE BOA SAE 80W-90</b>	High-performance gear oil for shaft drives and other hypoid, crownwheel and pinion applications.	API GL-5/GL-4 MIL-L-2105 B	
<b>SILKOLENE PRO COOL</b>	Engine coolant for all year-round use. Anti-cavitation performance exceeds that of conventional ethylene glycol based anti-freezes, providing the user with superior protection against engine and coolant pump damage due to this phenomenon.		

While the information and figures given here are typical of current production and confirm to specification, minor variations may occur. Subject to amendment. Edition 01/2008



<b>MAINTAIN – Maintenance and Protection for your Bike</b>		<b>Specifications/ Approvals</b>	<b>FUCHS Recommendations</b>
<b>SILKOLENE FORK OIL SAE 5W / 10W / 15W / 20W / 30</b>	Fork oil for all types of motorcycle forks. Ensures smooth operation, optimum protection against wear and perfect road-holding.		
<b>SILKOLENE FOAM FILTER OIL</b>	Special product for the oiling of freshly-washed foam filters. Also available as a spray.		
<b>SILKOLENE FOAM FILTER CLEANER</b>	Special water-soluble cleaner used to wash foam filter elements.		
<b>SILKOLENE TITANIUM CHAIN GEL</b>	Advanced chain lubricating gel: Effectively resists fling-off and appears whitish when applied.		
<b>SILKOLENE CHAIN LUBE</b>	Synthetic chain lube spray for optimum wear and rust protection. For all motorcycle chains with or without O-ring.		
<b>SILKOLENE CHAIN CLEANER</b>	Highly effective cleaner for all drive chains. Effectively removes caked residue. Excellent basis for optimum chain maintenance.		
<b>SILKOLENE BRAKE CLEANER</b>	Brake cleaner spray to remove difficult-to-dislodge dirt.		
<b>SILKOLENE ENGINE CLEANER</b>	Engine cleaner spray to remove all manner of dirt.		
<b>SILKOLENE CARB CLEANER</b>	Carburetor cleaner spray.		
<b>SILKOLENE PRO WASH</b>	Rapidly biodegradable, highly-effective motorcycle cleaner for all surfaces including aluminium. Available in 1-liter pump-bottles or in 25-liter drums.		
<b>SILKOLENE ALL-IN-ONE</b>	Multi-purpose maintenance spray with a multitude of uses: All-in-One can be used to dry out damp ignitions or free rusted fasteners. It has excellent dewatering properties, repels moisture, penetrates corroded threads, lubricates and even offers protection against corrosion.		
<b>SILKOLENE SILKOPEN</b>	A suspension of very fine lubricating graphite in a thin searching mineral oil carrier, Silkopen penetrates corroded or seized threads, lubricates them at the same time to ease dismantling by lowering the torque required.		
<b>SILKOLENE PRO BOOST</b>	Octane improver to combat pre-ignition and improve acceleration.		

While the information and figures given here are typical of current production and confirm to specification, minor variations may occur. Subject to amendment. Edition 01/2008